

SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

1. Identification

Product identifier: #74HV-A Brake & Metal Parts Cleaner

Other means of identification

SDS number: RE1000041028, 74HV-A

Recommended restrictions

Recommended use: Cleaner

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: 1ST AYD, CORPORATION
Address: 1325 GATEWAY DRIVE
ELGIN, IL 60124
US

Telephone: 847-622-0001

Emergency telephone number: 1-800-255-3924

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol

Category 1

Health Hazards

Skin Corrosion/Irritation

Category 2

Specific Target Organ Toxicity -

Single Exposure

Category 3
(Narcotic effect.)

Aspiration Hazard

Category 1

Environmental Hazards

Acute hazards to the aquatic environment

Category 2

Chronic hazards to the aquatic environment

Category 2

Label Elements

Hazard Symbol:



Signal Word:

Danger

Hazard Statement:

Extremely flammable aerosol.
Causes skin irritation.
May cause drowsiness or dizziness.
May be fatal if swallowed and enters airways.
Toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Avoid release to the environment.

Response:

IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell. Specific treatment (see on this label). Take off contaminated clothing. Collect spillage.

Storage:

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal:

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOCL):

None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%) [*]
Naphtia (petroleum), hydrotreated light	64742-49-0	50 - <100%
Heptane	142-82-5	10 - <25%
Isopropyl Alcohol	67-63-0	5 - <10%
Carbon dioxide	124-38-9	1 - <5%
Cyclohexane, methyl-	108-87-2	1 - <5%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

4. First-aid measures

Description of necessary first-aid measures

Inhalation:

Move to fresh air.

Skin Contact:

Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. Get medical attention.

Eye contact:

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.

Ingestion:

Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Personal Protection for First-aid Responders:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Most important symptoms/effects, acute and delayed

Symptoms:

No data available.

Hazards:

No data available.

Indication of immediate medical attention and special treatment needed

Treatment:

Symptoms may be delayed.

5. Fire-fighting measures

General Fire Hazards:

Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: Vapors may travel considerable distance to a source of ignition and flash back.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Accidental release measures:

Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

Methods and material for containment and cleaning up:

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

Environmental Precautions:

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

7. Handling and storage

Handling

Technical measures (e.g. Local and general ventilation): No data available.

Safe handling advice:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container. Do not pierce or burn, even after use. Avoid contact with skin. Wash hands thoroughly after handling.

Contact avoidance measures:

No data available.

Storage

Safe storage conditions:

Store locked up. Pressurized container. protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 3

Safe packaging materials:

No data available.

Storage Temperature:

No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Naphtha (petroleum), hydrotreated light	REL	100 ppm	US NIOSH Pocket Guide to Chemical Hazards, as amended
	TWA	100 ppm	US OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	PEL	100 ppm	US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Hepiane	TWA	400 mg/m3	US OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	REL	400 ppm	US NIOSH Pocket Guide to Chemical Hazards, as amended
	PEL	500 ppm	US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	STEL	500 ppm	US OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	400 ppm	US ACGIH Threshold Limit Values, as amended
	STEL	500 ppm	US ACGIH Threshold Limit Values, as amended
Cell_line	440 ppm	1,800 mg/m3	US NIOSH Pocket Guide to Chemical Hazards, as amended
Isopropyl Alcohol	STEL	500 ppm	US NIOSH Pocket Guide to Chemical Hazards, as amended
	TWA	200 ppm	US ACGIH Threshold Limit Values, as amended
	REL	400 ppm	US NIOSH Pocket Guide to Chemical Hazards, as amended
	PEL	400 ppm	US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	400 ppm	US OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL	400 ppm	US ACGIH Threshold Limit Values, as amended
	STEL	500 ppm	US OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Carbon dioxide	TWA	5,000 ppm	US ACGIH Threshold Limit Values, as amended
	STEL	30,000 ppm	US ACGIH Threshold Limit Values, as amended
	REL	5,000 ppm	US NIOSH Pocket Guide to Chemical Hazards, as amended
	PEL	5,000 ppm	US NIOSH Pocket Guide to Chemical Hazards, as amended
	PEL	5,000 ppm	US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended

	TWA	10,000 ppm	18,000 mg/m ³	US: OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL	30,000 ppm	54,000 mg/m ³	US: OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Cyclohexane, methyl-	PEL	500 ppm	2,000 mg/m ³	US: OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	400 ppm	1,600 mg/m ³	US: OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	400 ppm	1,600 mg/m ³	US: ACGIH Threshold Limit Values, as amended
	REL	400 ppm	1,600 mg/m ³	US: NIOSH Pocket Guide to Chemical Hazards, as amended
Benzene, methyl-	STEL	150 ppm	580 mg/m ³	US: OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	REL	100 ppm	375 mg/m ³	US: NIOSH Pocket Guide to Chemical Hazards, as amended
	TWA	100 ppm	375 mg/m ³	US: OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	Ceiling	300 ppm		US: OSHA Table Z-2 (29 CFR 1910.1000), as amended
	TWA	20 ppm		US: ACGIH Threshold Limit Values, as amended
	TWA	200 ppm		US: OSHA Table Z-2 (29 CFR 1910.1000), as amended
	MAX. CONC.	500 ppm		US: OSHA Table Z-2 (29 CFR 1910.1000), as amended
	STEL	150 ppm	580 mg/m ³	US: NIOSH Pocket Guide to Chemical Hazards, as amended
Hexane	TWA	50 ppm	180 mg/m ³	US: OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	REL	500 ppm	1,800 mg/m ³	US: OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	REL	50 ppm	180 mg/m ³	US: NIOSH Pocket Guide to Chemical Hazards, as amended
	TWA	50 ppm	180 mg/m ³	US: ACGIH Threshold Limit Values, as amended
	TWA	100 ppm		US: OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	300 ppm	1,050 mg/m ³	US: OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	REL	300 ppm	1,050 mg/m ³	US: NIOSH Pocket Guide to Chemical Hazards, as amended
	REL	300 ppm	1,050 mg/m ³	US: OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	STEL	125 ppm	545 mg/m ³	US: NIOSH Pocket Guide to Chemical Hazards, as amended
	REL	100 ppm	435 mg/m ³	US: NIOSH Pocket Guide to Chemical Hazards, as amended
	PEL	100 ppm	435 mg/m ³	US: OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL	125 ppm	545 mg/m ³	US: OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	100 ppm	435 mg/m ³	US: OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	20 ppm		US: ACGIH Threshold Limit Values, as amended
	REL	0.1 ppm		US: NIOSH Pocket Guide to Chemical Hazards, as amended
	TWA	1 ppm		US: OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	Ceiling	25 ppm		US: OSHA Table Z-2 (29 CFR 1910.1000), as amended
	TWA	0.5 ppm		US: ACGIH Threshold Limit Values, as amended
	STEL	2.5 ppm		US: ACGIH Threshold Limit Values, as amended
	STEL	5 ppm		US: OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended
	OSHA, A	0.5 ppm		US: OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended
	CI	10 ppm		US: OSHA Table Z-2 (29 CFR 1910.1000), as amended
	TWA	10 ppm		US: OSHA Table Z-2 (29 CFR 1910.1000), as amended
	MAX. CONC.	50 ppm		US: OSHA Table Z-2 (29 CFR 1910.1000), as amended
	STEL	5 ppm		US: OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	1 ppm		US: OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended
	STEL	1 ppm		US: NIOSH Pocket Guide to Chemical Hazards, as amended

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
Isopropyl Alcohol (alcohol, Sampling time: End of shift at end of work week)	40 mg/L (Urine)	ACGIH BEL
Benzene, methyl- (toluene, Sampling time: End of shift)	0.03 mg/L (Urine)	ACGIH BEL
Benzene, methyl- (o-Cresol, with hydrolysis; Sampling time: End of shift)	0.3 mg/L (Creatinine in urine)	ACGIH BEL
Benzene, methyl- (toluene, Sampling time: Prior to last shift of work week)	0.02 mg/L (Blood)	ACGIH BEL
Benzene, allyl- (Sum of mandelic acid and phenylglyoxylic acid, Sampling time: End of shift)	0.15 µg/L (Creatinine in urine)	ACGIH BEL
Hexane (2,5-Hexanedione, without hydrolysis; Sampling time: End of shift)	0.5 mg/L (Urine)	ACGIH BEL
Hexane (S-Transylthiocaptoic acid; Sampling time: End of shift)	25 µg/L (Creatinine in urine)	ACGIH BEL
Benzene (1-Muconic acid; Sampling time: End of shift)	500 µg/L (Creatinine in urine)	ACGIH BEL

Exposure guidelines

Hexane	US, ACGIH Threshold Limit Values, as amended	Can be absorbed through the skin.
Benzene	US, ACGIH Threshold Limit Values, as amended	Can be absorbed through the skin.

Appropriate Engineering Controls No data available.

Individual protection measures, such as personal protective equipment

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection
Hand Protection: No data available.

Skin and Body Protection: Wear suitable protective clothing. Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

Hygiene measures: Observe good industrial hygiene practices. When using do not smoke. Wash contaminated clothing before reuse. Avoid contact with skin. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Appearance	
Physical state:	Liquid
Form:	Spray Aerosol
Color:	No data available.
Odor:	No data available.
Odor Threshold:	No data available.
pH:	No data available.
Freezing point:	No data available.
Boiling Point:	Estimated -78.5 °C
Flash Point:	Estimated -9 °C
Evaporation Rate:	No data available.
Flammability (solid, gas):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density (air=1):	No data available.
Density:	No data available.
Relative density:	No data available.
Solubility in Water:	No data available.

Solubility (other): No data available.
Partition coefficient (n-octanol/water): No data available.
Self Ignition Temperature: No data available.
Decomposition Temperature: No data available.
Kinematic viscosity: No data available.
Dynamic viscosity: No data available.
Explosive properties: No data available.
Oxidizing properties: No data available.

10. Stability and reactivity

Reactivity: No data available.
Chemical Stability: Material is stable under normal conditions.
Possibility of hazardous reactions: No data available.
Conditions to avoid: Avoid heat or contamination.
Incompatible Materials: No data available.
Hazardous Decomposition Products: No data available.

11. Toxicological information

Information on likely routes of exposure

Inhalation: No data available.
Skin Contact: No data available.
Eye contact: No data available.
Ingestion: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.
Skin Contact: No data available.
Eye contact: No data available.
Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral
Product: Not classified for acute toxicity based on available data.
Dermal
Product: ATEmix: 3,413.2 mg/kg
Inhalation
Product: Not classified for acute toxicity based on available data.

Repeated dose toxicity

Product:

No data available.

Components:

Naphtha (petroleum),
hydrotreated light

NOAEL (Rat/Female, Male), Inhalation): 10,000 mg/m3 Inhalation
Experimental result, Key study
LOAEL (Rat/Female, Male), Oral, 13 Weeks): 1,250 mg/kg Oral Read-
across based on grouping of substances (category approach), Key study
NOAEL (Rat/Female, Male), Dermal, 28 d): > 375 mg/kg Dermal
Experimental result, Supporting study
NOAEL (Rat/Male), Inhalation): 12,470 mg/m3 Inhalation Experimental
result, Key study
NOAEL (Rat, Inhalation, >= 104 Weeks): 5,000 ppm(m) Inhalation
Experimental result, Key study
NOAEL (Rat/Female, Male), Inhalation): 1,600 mg/m3 Inhalation
Experimental result, Key study
LOAEL (Rat/Female, Male), Oral, 28 d): 1,000 mg/kg Oral Experimental
result, Key study
NOAEL (Rat/Female, Male), Oral, 28 d): 250 mg/kg Oral Experimental
result, Key study

Heptane

Isopropyl Alcohol

Cyclohexane, methyl-

Skin Corrosion/Irritation

Product:

No data available.

Components:

Naphtha (petroleum),
hydrotreated light
Heptane
Isopropyl Alcohol
Cyclohexane, methyl-

In vitro (Human): not corrosive
In vivo (Rabbit): Irritating
In vivo (Rabbit): Not Classified
estimated Irritating.

Serious Eye Damage/Eye Irritation

Product:

No data available.

Components:

Naphtha (petroleum),
hydrotreated light

Rabbit, 24 - 72 hrs: Not Irritating

Heptane

Rabbit, 24 - 72 hrs: Not Irritating

Isopropyl Alcohol

Rabbit, 1 d: Category 2: Causes serious eye irritation
Irritating.

Cyclohexane, methyl-

Rabbit, 0.5 - 168 hrs: Not Irritating

Respiratory or Skin Sensitization

Product:

No data available.

Components:

Naphtha (petroleum),
hydrotreated light
Heptane
Isopropyl Alcohol
Cyclohexane, methyl-

Skin sensitization:, in vivo (Guinea pig): Non sensitising
Skin sensitization:, in vivo (Guinea pig): Non sensitising
Skin sensitization:, in vivo (Guinea pig): Non sensitising
Skin sensitization:, in vivo (Guinea pig): Non sensitising

Carcinogenicity

Product:

No data available.

Components:

Cyclohexane, methyl-

May cause cancer.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product:

No data available.

In vivo

Product:

No data available.

Reproductive toxicity

Product:

No data available.

Specific Target Organ Toxicity - Single Exposure

Product:

No data available.

Components:

Heptane

Isopropyl Alcohol

Cyclohexane, methyl-

Narcotic effect. - Category 3 with narcotic effects.
Narcotic effect. - Category 3 with narcotic effects.
Inhalation - Vapor: Narcotic effect. - Category 3 with narcotic effects.

Specific Target Organ Toxicity - Repeated Exposure

Product:

No data available.

Components:

Cyclohexane, methyl-

Category 1

Target Organs

Specific Target Organ Toxicity - Single Exposure: Narcotic effect.

Aspiration Hazard

Product:

No data available.

Components:

Napitha (petroleum),

hydroreated light

Heptane

Cyclohexane, methyl-

May be fatal if swallowed and enters airways.
May be fatal if swallowed and enters airways.
May be fatal if swallowed and enters airways.

Other effects:

No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product:

No data available.

Components:

Napitha (petroleum),

hydroreated light

Isopropyl Alcohol

LC 50 (96 h): 8.41 mg/l Experimental result, Key study

LC 50 (Pimephales promelas, 96 h): 9,640 mg/l Experimental result, Key study

Cyclohexane, methyl-

LC 50 (Oryzias latipes, 96 h): 2.07 mg/l Experimental result, Key study

Aquatic Invertebrates

Product:

No data available.

Components:
Naphtha (petroleum), hydrotreated light EC 50 (Daphnia magna, 48 h): 4.5 mg/l Experimental result, Key study

Isopropyl Alcohol LC 50 (Daphnia magna, 24 h): > 10,000 mg/l Experimental result, Key study

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Components:
Naphtha (petroleum), hydrotreated light NOAEL (Daphnia magna): 2.6 mg/l Other, Key study

Aquatic Invertebrates
Product: No data available.

Components:
Naphtha (petroleum), hydrotreated light EC 50 (Daphnia magna): 10 mg/l Experimental result, Key study

Toxicity to Aquatic Plants
Product: No data available.

Persistence and Degradability

Biodegradation
Product: No data available.

Components:
Naphtha (petroleum), hydrotreated light 95 % (10 d) The 10-day window requirement is fulfilled
90.35 % (28 d) Detected in water. Experimental result, Supporting study

Isopropyl Alcohol 53 % (5 d) Detected in water. Experimental result, Key study

Cyclohexane, methyl- > 0 % (28 d) Detected in water. Experimental result, Weight of Evidence study
> 0 % (28 d) Detected in water. Experimental result, Weight of Evidence study

BOD/COD Ratio
Product: No data available.

Bioaccumulative potential
Bioconcentration Factor (BCF)
Product: No data available.

Components:
Naphtha (petroleum), hydrotreated light Bioconcentration Factor (BCF): 10 - 2,500 Aquatic sediment Estimated by calculation, Key study

Cyclohexane, methyl- Cyprinus carpio, Bioconcentration Factor (BCF): > 95 - < 321 Aquatic sediment Experimental result, Key study

Partition Coefficient n-octanol / water (log Kow)
Product: No data available.

Components:
Naphtha (petroleum), hydrotreated light Log Kow: > 2.4 - < 5.7 23 °C Yes Experimental result, Key study

Mobility in soil: No data available.

Components:

Naphtha (petroleum), hydrotreated light	No data available.
Heptane	No data available.
Isopropyl Alcohol	No data available.
Carbon dioxide	No data available.
Cyclohexane, methyl-	No data available.

Other adverse effects: Toxic to aquatic life with long lasting effects.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local laws.

Contaminated Packaging: No data available.

14. Transport information

DOT

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es):	
Class:	2.1
Label(s):	—
EMS No.:	—
Packing Group:	—
Special precautions for user:	Not regulated.

IATA

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es):	
Class:	2.1
Label(s):	—
Packing Group:	—
Special precautions for user:	Not regulated.
Other information:	
Passenger and cargo aircraft:	Allowed, 203
Cargo aircraft only:	Allowed, 203

IMDG

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es):	
Class:	2.1
Label(s):	—
EMS No.:	F-D, S-U
Packing Group:	—
Special precautions for user:	Not regulated.

15. Regulatory information

US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
US, Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt. E)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

<u>Chemical Identity</u>	<u>OSHA hazard(s)</u>
Benzene	Flammability
	Cancer
	Aspiration
	Eye
	Blood
	Skin
	respiratory tract irritation
	Central nervous system

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u>
UNLISTED HAZARDOUS WASTES CHARACTERISTIC OF IGNITABILITY
RCRA HAZARDOUS WASTE NO. D001
BENZENE, METHYL-
HEXANE
Hexane
CYCLOHEXANE
BENZENE, HEXAHYDRO-
ETHYLBENZENE
BENZENE

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Flammable (gases, aerosols, liquids, or solids), Skin Corrosion or Irritation, Specific target organ toxicity (single or repeated exposure), Aspiration Hazard

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

None present or none present in regulated quantities.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

<u>Chemical Identity</u>	<u>% by weight</u>
Isopropyl Alcohol	1.0%

Clean Air Act (CAA) Section 112(i) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

US State Regulations

US. California Proposition 65



WARNING: This product can expose you to chemicals including, Benzene which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm.

For more information go to www.P65Warnings.ca.gov.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity
Naphtha (petroleum), hydrotreated light
Heptane
Isopropyl Alcohol
Carbon dioxide
Cyclohexane, methyl-

US, Massachusetts RTK - Substance List

Chemical Identity
Benzene

US, Pennsylvania RTK - Hazardous Substances

Chemical Identity
Naphtha (petroleum), hydrotreated light
Heptane
Isopropyl Alcohol
Carbon dioxide
Cyclohexane, methyl-

US, Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol
Not applicable

Stockholm convention
Not applicable

Rotterdam convention
Not applicable

Kyoto protocol

Inventory Status:

Australia AICS

Canada DSL Inventory List

Canada NDSL Inventory

Ontario Inventory

China Inv. Existing Chemical Substances

Japan (ENCS) List

Japan ISHL Listing

Japan Pharmacopoeia Listing

Korea Existing Chemicals Inv. (KECI)

Mexico INSQ

New Zealand Inventory of Chemicals

Philippines PICCS

Taiwan Chemical Substance Inventory

US TSCA Inventory

EINECS, ELINCS or NLP

On or in compliance with the inventory

On or in compliance with the inventory

Not in compliance with the inventory.

On or in compliance with the inventory

On or in compliance with the inventory

On or in compliance with the inventory

On or in compliance with the inventory

Not in compliance with the inventory.

On or in compliance with the inventory

On or in compliance with the inventory

On or in compliance with the inventory

On or in compliance with the inventory

On or in compliance with the inventory

On or in compliance with the inventory

Not in compliance with the inventory.

16. Other information, including date of preparation or last revision

Issue Date: 06/15/2021

Revision Information: No data available.

Version #: 1.0

Further Information: No data available.

Disclaimer: This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.